

## INTRODUCTION

Vega Trailer is European leading manufacturing company of semi-trailers and special trailers for the special haulage industry. Our special trailers are distributed through international network of trailer dealers in Europe, Africa and worldwide.

We provide all the documents required for the registration of our trailers in Europe and international markets.

## ABOUT US

VEGA TRAILER is professional and leading semi-trailer manufacturing company which was established since 1982 as a family company.

Since its inception, we are engaged to manufacture the variety products of quality like a notion work principle. With 7000 m<sup>2</sup> of production buildings, we produce the best quality and long-lasting products. We are making our products more quality and more technological with R & D works.

With our factory brands such as VEGA TRAILER and Özsan Trailer, we manufacture all type of Lowbed Semi-trailer, Tipper Trailer, Huge Dumper, Truck Tipper, Platform Trailer, Container Carrier, Dolly Trailer, Car Carrier Trailer, Tractor & Cabin Carrier, Truck Carrier Trailer and Chassis.

We manufacture very accurate technological conditions for each product with different workmanship.

Our company is customer-oriented, we have an important place in the domestic market and overseas. With our dynamic team of successful exportation to the international markets.

We have ISO 9001-2015 quality certification, The European Vehicle Type Approval Certificate, TSE service qualification certificate, TSE after-sales service qualification certificate. We have been enrolled with our quality.





Orhaniye Mahallesi 2040. Sk. No: 12  
Kahramankazan - Ankara / TÜRKİYE



+90 (312) 354 12 42



+90 (530) 547 90 40



[www.vegatrailer.com](http://www.vegatrailer.com)  
[info@vegatrailer.com](mailto:info@vegatrailer.com)



# CONTENT



TRUCK CARRIER



LOWBED



JEEP & CAR CARRIER



TIPPER

**VEGA**  **TRAILER**


# TRUCK CARRIER

---





# VEGA TRAILER







# 1 AXLE VEGA-ONE

TRUCK CARRIER

CODE  
VG-145

TECHNICAL SPECIFICATION





# 1 AXLE VEGA-ONE

TRUCK CARRIER



## CODE: VG-145

## TECHNICAL SPECIFICATION

Total Length	12600 mm +1300 mm Rear Extension
Width	2550 mm
Capacity	2-unit Trucks - 2-unit Cars
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	4+1 Units, 245 70 R 17,5 or 235 75 R 17.5
Brake System	EBS brake system (Wabco/Knorr Bremse)
Electric System	Aspöck
8 Ton Winch is installed on Front (Option)	
100% Galvanized (All components are galvanized)	
Side Color	Up to Customer choice





# 1 AXLE ARLA

TRUCK CARRIER

CODE  
VG-135

TECHNICAL SPECIFICATION

> > > > > > >



# 1 AXLE ARLA

## TRUCK CARRIER



### CODE: VG-135

### TECHNICAL SPECIFICATION

Total Length	12600 mm
Width	2550 mm
Capacity	1-unit Trucks - 2-unit Cars
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	4+1 Units, 245 70 R 17,5 or 235 75 R 17.5
Brake System	EBS brake system (Wabco/Knorr Bremse)
Electric System	Aspöck
8 Ton Winch is installed on Front (Option)	
100% Galvanized (All components are galvanized)	
Side Color	Up to Customer choice





# 2 AXLE ARLA

TRUCK CARRIER

CODE  
VG-235

TECHNICAL SPECIFICATION

> > > > > > >



## 2 AXLE ARLA

TRUCK CARRIER



### CODE: VG-235

### TECHNICAL SPECIFICATION

Total Length	13600 mm
Width	2550 mm
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	8+1 Unit 245 70 R 17,5 or 235 75 R 17,5 or 215/ 75 R 17,5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck - Saba
7.8 Ton Winch can be used under the gooseneck (Option)	
5 Ton Winch is used on Rear (Option)	
Aluminum Rims: (Option)	
100% Galvanized (Option)	
Side Color	Up to Customer choice



# 2 AXLE VEGA-S

TRUCK CARRIER

CODE  
VG-220

TECHNICAL SPECIFICATION

> > > > > > >



## 2 AXLE VEGA-S

TRUCK CARRIER



## CODE: VG-220

## TECHNICAL SPECIFICATION

Total Length	13600 mm+3000 mm Middle+ 1300 mm Rear Extension
Width	2550 mm
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	8+1 Unit 245 70 R 17,5 or 235 75 R 17,5 or 215/ 75 R 17,5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck – Saba
7.8 Ton Winch is used on Front (Option)	
5 Ton Winch is used on Rear (Option)	
Aluminum Rims: (Option)	
100% Galvanized (Option)	
Side Color	Up to Customer choice





# 2 AXLE VEGA-FIX

TRUCK CARRIER

CODE  
VG-210

TECHNICAL SPECIFICATION

> > > > > > >

## 2 AXLE VEGA-FIX

TRUCK CARRIER



### CODE: VG-210

### TECHNICAL SPECIFICATION

Total Length	13600 mm + 1300 mm Rear Extension
Width	2550 mm
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	8+1 Unit 245 70 R 17,5 or 235 75 R 17,5 or 215 75 R 17,5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck - Saba
7.8 Ton Winch is used on Front (Option)	
5 Ton Winch is used on Rear (Option)	
Aluminum Rims: (Option)	
Paint or 100% Galvanized (Option)	
Side Color	Up to Customer choice





# 2 AXLE VEGA-MAX

TRUCK CARRIER

CODE  
VG-240

TECHNICAL SPECIFICATION





## 2 AXLE VEGA-MAX

TRUCK CARRIER





# 2 AXLE VEGA-MAX

TRUCK CARRIER

VEGA TRAILER



[www.vegatrailer.com](http://www.vegatrailer.com)



## 2 AXLE VEGA-MAX

TRUCK CARRIER



### CODE: VG-240

### TECHNICAL SPECIFICATION

Total Length	13600 mm+3000 mm Middle+ 1300 mm Extension
Width	2550 mm
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	8+1 Unit 245 70 R 17,5 or 235 75 R 17.5 or 215/ 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck - Saba
7.8 Ton Winch is used on Front	
5 Ton Winch is used on Rear (Option)	
Aluminum Rims: (Option)	
100% Galvanized (Option)	
Side Color	Up to Customer choice





# 3 AXLE CLASSIC

TRUCK CARRIER

CODE  
VG-300

TECHNICAL SPECIFICATION

> > > > > > >



## 3 AXLE CLASSIC

TRUCK CARRIER



## CODE: VG-300

## TECHNICAL SPECIFICATION

Total Length	13600 mm+2300 mm Middle + 1300 mm Rear Extension
Width	2550 mm
Capacity	3-unit Trucks - 1-unit Bus – 2 units minibus
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	12+1 Units, 245 70 R 17,5 or 235 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck - Saba
7.8 Ton Winch is used on Front (Option)	
Paint or 100% Galvanized	
Side Color	Up to Customer choice





# 3 AXLE VEGA-3

TRUCK CARRIER

CODE  
VG-310

TECHNICAL SPECIFICATION

> > > > > > >

# 3 AXLE VEGA-3

## TRUCK CARRIER



### CODE: VG-310

### TECHNICAL SPECIFICATION

Total Length	13600 mm+2300 mm Middle + 1300 mm Rear Extension
Width	2550 mm
Capacity	3-unit Trucks - 1-unit Bus – 2 units minibus
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	12+1 Units, 245 70 R 17,5 or 235 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck - Saba
7.8 Ton Winch is used on Front (Option)	
5 Ton Winch is used on Rear (Option)	
Paint or 100% Galvanized	
Side Color	Up to Customer choice





# 3 AXLE PROMAX

TRUCK CARRIER

CODE  
VG-330

TECHNICAL SPECIFICATION





## 3 AXLE PROMAX

TRUCK CARRIER





# 3 AXLE PROMAX

TRUCK CARRIER

VEGA TRAILER





# 3 AXLE PROMAX

## TRUCK CARRIER



### CODE: VG-330

### TECHNICAL SPECIFICATION

Total Length	13600 mm+2300 mm Middle + 1300 mm Rear Extension
Width	2550 mm
Capacity	3-unit Trucks - 1-unit Bus – 2 units minibus
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	12+1 Units, 245 70 R 17,5 or 235 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck - Saba
7.8 Ton Winch is used on Front (Option)	
5 Ton Winch is used on Rear (Option)	
Aluminum Rims: (Option)	
Paint or 100% Galvanized	
Side Color	Up to Customer choice





# 3 AXLE ALPHA

TRUCK CARRIER

CODE  
VG-320

TECHNICAL SPECIFICATION

> > > > > > >

## 3 AXLE ALPHA

TRUCK CARRIER



### CODE: VG-320

### TECHNICAL SPECIFICATION

Total Length	13600 mm+2300 mm Middle + 1300 mm Rear Extension
Width	2550 mm
Capacity	3-unit Trucks - 1-unit Bus – 2 units minibus
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	12+1 Units, 245 70 R 17,5 or 235 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck - Saba
7.8 Ton Winch is used on Front	
Paint or 100% Galvanized	
Side Color	Up to Customer choice





# 3 AXLE ALPHAMAX

TRUCK CARRIER

CODE  
VG-340

TECHNICAL SPECIFICATION

> > > > > > >



## 3 AXLE ALPHAMAX

TRUCK CARRIER



## CODE: VG-340

## TECHNICAL SPECIFICATION

Total Length	13600 mm+2300 mm Middle + 1300 mm Rear Extension
Width	2550 mm
Capacity	3-unit Trucks - 1-unit Bus – 2 units minibus
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	12+1 Units, 245 70 R 17,5 or 235 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck - Saba
7.8 Ton Winch is used on Front (Option)	
5 Ton Winch is used on Rear (Option)	
Aluminum Rims: (Option)	
100% Galvanized	
Side Color	Up to Customer choice





# 3 AXLE PROLINE

TRUCK CARRIER

CODE  
VG-360


TECHNICAL SPECIFICATION

> > > > > > >



# 3 AXLE PROLINE

TRUCK CARRIER



## CODE: VG-360

## TECHNICAL SPECIFICATION

Total Length	13600 mm+2300 mm Middle + 1300 mm Rear Extension
Width	2550 mm
Capacity	3-unit Trucks - 1-unit Bus – 2 units minibus
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	12+1 Units, 245 70 R 17,5 or 235 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck
100% Galvanized (All Steel components)	
7.8 Ton Winch is used on Front (Option)	
5 Ton Winch is used on Rear (Option)	
Aluminum Rims: (Option)	
Side Color	Up to Customer choice





# 3 AXLE ROYALMAX

TRUCK CARRIER

CODE  
VG-350

TECHNICAL SPECIFICATION

> > > > > > >



## 3 AXLE ROYALMAX

TRUCK CARRIER



## CODE: VG-350

## TECHNICAL SPECIFICATION

Total Length	13600 mm+2300 mm Middle + 1300 mm Rear Extension
Width	2550 mm
Capacity	3-unit Trucks - 1-unit Bus – 2 units minibus
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	12+1 Units, 245 70 R 17,5 or 235 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck
100% Galvanized (All Steel components)	
7.8 Ton Winch is used on Front (Option)	
5 Ton Winch is used on Rear (Option)	
Aluminum Rims: (Option)	
Side Color	Up to Customer choice



# LOWBED

---





**VEGA TRAILER**







# 2 AXLE

LOWBED

CODE  
VG-L2

TECHNICAL SPECIFICATION

> > > > > > >



## 2 AXLE LOWBED



### CODE: VG-L2

### TECHNICAL SPECIFICATION

Total Length	10540 mm
Width	2550 mm
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	8+1 Unit 245 70 R 17,5. 235 75 R 17,5 or 215 75 R 17,5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck – Saba
Aluminum Rims: (Option)	
Paint or 100% Galvanized (Option)	
Side Color	Up to Customer choice





# 3 AXLE STANDARD

LOWBED

CODE  
VG-L3

TECHNICAL SPECIFICATION

> > > > > > >



## 3 AXLE STANDARD

LOWBED



## CODE: VG-L3

## TECHNICAL SPECIFICATION

Total Length	13600 mm
Width	2550 mm
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	12+1 Unit 245 70 R 17,5. Or 235 75 R 17,5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck – Saba
Aluminum Rims: (Option)	
Paint or 100% Galvanized (Option)	
Side Color	Up to Customer choice





# 3 AXLE KASHWAA

LOWBED

CODE  
VG-K3

TECHNICAL SPECIFICATION





## 3 AXLE KASHWAA

LOWBED






# 3 AXLE KASHWAA

LOWBED

VEGA TRAILER





# 3 AXLE KASHWAA

LOWBED



## CODE: VG-K3

## TECHNICAL SPECIFICATION

Total Length	13600 mm
Width	2550 mm
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	Pn12+1 Unit 245 70 R 17,5. Or 235 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck – Saba
Aluminum Rims: (Option)	
Paint or 100% Galvanized (Option)	
Side Color	Up to Customer choice





# 3 AXLE ITALIANO

LOWBED

CODE  
VG-LI

TECHNICAL SPECIFICATION

> > > > > > >



## 3 AXLE ITALIANO

LOWBED



## CODE: VG-LI

## TECHNICAL SPECIFICATION

Total Length	13900 mm
Width	2550 mm
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	12+1 Unit 245 70 R 17,5. Or 235 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck – Saba
Aluminum Rims: (Option)	
Paint or 100% Galvanized (Option)	
Side Color	Up to Customer choice





# 3 AXLE SPECIAL ITALIANO

LOWBED

TECHNICAL SPECIFICATION

> > > > > > >



# 3 AXLE SPECIAL ITALIANO

LOWBED



## TECHNICAL SPECIFICATION

Total Length	13600 mm
Width	2550 mm
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	12+1 Unit 245 70 R 17,5. Or 235 75 R 17,5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck – Saba
Aluminum Rims: (Option)	
Paint or 100% Galvanized (Option)	
Side Color	Up to Customer choice





## 3 AXLE POOL

LOWBED

CODE  
VG-L3P

TECHNICAL SPECIFICATION

> > > > > > >



## 3 AXLE POOL

LOWBED



## CODE: VG-L3P

## TECHNICAL SPECIFICATION

Total Length	13600 mm
Width	2550 mm
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	12+1 Unit 245 70 R 17,5. Or 235 75 R 17,5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck – Saba
Aluminum Rims: (Option)	
Paint or 100% Galvanized (Option)	
Side Color	Up to Customer choice





# 3 AXLE GERMAN

LOWBED

CODE  
VG-L3G

TECHNICAL SPECIFICATION

> > > > > > >



## 3 AXLE GERMAN

LOWBED



## CODE: VG-L3G

## TECHNICAL SPECIFICATION

Total Length	13600 mm
Width	2550 mm
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	12+1 Unit 245 70 R 17,5. Or 235 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck – Saba
Aluminum Rims: (Option)	
Paint or 100% Galvanized	
Side Color	Up to Customer choice





# 4 AXLE STANDARD

LOWBED

CODE  
VG-L4


TECHNICAL SPECIFICATION

> > > > > > >



## 4 AXLE STANDARD

LOWBED



## CODE: VG-L4

## TECHNICAL SPECIFICATION

Total Length	13600 mm
Width	2550 mm
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	16+1 Unit 245 70 R 17,5. Or 235 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck – Saba
Aluminum Rims: (Option)	
Paint or 100% Galvanized (Option)	
Side Color	Up to Customer choice





# 4 AXLE GERMAN (EXTENDABLE) LOWBED

CODE  
VG-L4G

TECHNICAL SPECIFICATION

> > > > > > >



# 4 AXLE GERMAN (EXTENDABLE) LOWBED



## CODE: VG-L4G

## TECHNICAL SPECIFICATION

Total Length	13600 mm or Special Length
Width	2550 mm or Special Length
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	16+1 Unit 245 70 R 17,5. Or 235 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck – Saba
Aluminum Rims: (Option)	
Paint or 100% Galvanized (Option)	
Side Color	Up to Customer choice





# 5 AXLE

LOWBED

CODE  
VG-L5

TECHNICAL SPECIFICATION





## 5 AXLE LOWBED



### CODE: VG-L5

### TECHNICAL SPECIFICATION

Total Length	13600 mm or Special Length
Width	2550 mm or Special Length
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	16+1 Unit 245 70 R 17,5. Or 235 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck – Saba
Paint or 100% Galvanized (Option)	
Side Color	Up to Customer choice





# 6 AXLE

LOWBED

CODE  
VG-L6

TECHNICAL SPECIFICATION

> > > > > > >



## 6 AXLE LOWBED



### CODE: VG-L6

### TECHNICAL SPECIFICATION

Total Length	13600 mm or Special Length
Width	2550 mm or Special Length
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	24+1 Unit 245 70 R 17,5. or 235 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck – Saba
Paint	
Side Color	Up to Customer choice



# JEEP CARRIER CAR CARRIER

---





# VEGA TRAILER







# 2 AXLE

CAR CARRIER

CODE  
VG-CC8

TECHNICAL SPECIFICATION

> > > > > > >



## 2 AXLE CAR CARRIER



### CODE: VG-CC8

### TECHNICAL SPECIFICATION

Total Length	13600 mm+1300 mm Extension
Width	2550 mm
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	8+1 Unit 245 70 R 17,5 or 235 75 R 17,5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck – Saba
Aluminum Rims: (Option)	
Paint or 100% Galvanized (Option)	
Side Color	Up to Customer choice





## 2 AXLE

JEEP CARRIER

CODE  
VG-J6

TECHNICAL SPECIFICATION

> > > > > > >



## 2 AXLE JEEP CARRIER



### CODE: VG-J6

### TECHNICAL SPECIFICATION

Total Length	13600 mm+1300 mm Extension
Width	2550 mm
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	8+1 Unit 245 70 R 17,5 or 235 75 R 17,5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck – Saba
Aluminum Rims: (Option)	
Paint or 100% Galvanized (Option)	
Side Color	Up to Customer choice





# 2 AXLE (EXTENDABLE) JEEP CARRIER

CODE  
VG-JE6

TECHNICAL SPECIFICATION

> > > > > > >



## 2 AXLE (EXTENDABLE) JEEP CARRIER



### CODE: VG-JE6

### TECHNICAL SPECIFICATION

Total Length	13600 mm+ 1200 mm Mid Extension +1300 mm Extension
Width	2550 mm
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	8+1 Unit 245 70 R 17,5 or 235 75 R 17,5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck – Saba
100% Galvanized (All steel components)	
Aluminum Rims: (Option)	
Side Color	Up to Customer choice





# 2 AXLE DUZ AUTO

CAR CARRIER

CODE  
VG-DA

TECHNICAL SPECIFICATION





## 2 AXLE DUZ AUTO

CAR CARRIER



## CODE: VG-DA

## TECHNICAL SPECIFICATION

Total Length	13600 mm
Width	2550 mm
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	8+1 Unit 245 70 R 17,5 or 235 75 R 17,5 or 215/ 75 R 17,5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck - Saba
7.8 Ton Winch can be used under the gooseneck (Option)	
5 Ton Winch is used on Rear (Option)	
Aluminum Rims: (Option)	
100% Galvanized (Option)	
Side Color	Up to Customer choice



# TIPPER

---









# 3 AXLE

TIPPER

CODE  
VG-T

TECHNICAL SPECIFICATION

> > > > > > >



## 3 AXLE

TIPPER



### CODE: VG-T

### TECHNICAL SPECIFICATION

Volume	24m <sup>3</sup> , 26m <sup>3</sup> , 28m <sup>3</sup> , 30m <sup>3</sup> etc....
Body Length	7200 mm +-
Width	2550 mm
Axle	9 Tons of Disc Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	6+1 Unit 385 / 65 R 22.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck – Saba
Aluminum Rims: (Option)	
Hydraulic Rear Door (Option)	
Color	Up to Customer choice





# HUGE

TIPPER

CODE  
VG-HT

TECHNICAL SPECIFICATION





# HUGE TIPPER



## CODE: VG-HT

## TECHNICAL SPECIFICATION

Volume	24m <sup>3</sup> , 26m <sup>3</sup> , 28m <sup>3</sup> , 30m <sup>3</sup> 70m <sup>3</sup> etc....
Body Length	9000 mm+-
Width	3600 mm
Axle	9 Tons of Disc Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	16+1 Unit 12 R 22.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck – Saba
Hyva Cylinder: (Option)	
Aluminum Rims: (Option)	
Color	Up to Customer choice